Program-Level Assessment: Annual Report

Program: Family Nurse Practitioner NP and PM

Department: School of Nursing

Family Nurse Practitioner

Degree or Cererer2022

In what year was the program's assessment plan most recently reviewed/updated? 2017

1. Student Learning Outcomes

Which of the program's student learning outcomes were assessed in this annual assessment cycle?

Outcome #3: Integrate advanced competencies, skills, theories, and cultural sensitivity in relationships with patients and professionals.

2. Assessment Methods: Artifacts of Student Learning

Which artifacts of student learning were used to determine if students achieved the outcome(s)? Please identify the course(s) in which these artifacts were collected. Clarify if any such courses were offered a) online, on a variety of

adult family practice cases. G
rating. (see Appendix E)

Indirect Measures:
1. Skyfactor, Overall Learnin

3. Assessment Methods: Evaluation Process

What process was used to evaluate the artifacts of student learning, and by whom? Please identify the tools(s) (e.g., a rubric) used in the process and include them in/with this report.

Direct Measures:
Clinical evaluation, either by observing direct patient care or through simulation cases at residency. A direct observation of student clinical performance is evaluated by the FNP faculty through the use of simulated scenarios (Appendix I) during on-site residency experiences. Following completion of the simulated scenarios, the faculty meet and average the scores students received on their cases. If there are any concerns about the student's performance, remediation occurs. Outcome measure is a score of advanced proficiency, proficient, or not proficient on a variety of adult family care cases. Measure: 90% of students will achieve a proficient or advanced proficiency rating.

Cultural sensitivity is assessed during the simulated cases, students reported any cultural considerations in their case and if anything could have been communicated/performed differently. Cultural sensitivity is not scored but is considered in overall proficiency.

Indirect Measures:
Skyfactor, Overall Learning; rating of 5.5 or higher on a 7-point scale.-t t c1.d(thn)2 (o)2 (t)]TJ6.8 /c 0 Twe.639 0 Tc 0

Appendices for the Family Masters NP and Family Post Masters NP Certificate

APPENDIX A

Student	Advanced Proficient	Proficient	Not Proficient
AD	**x**		

FAMILY NURSE PRACTITIONER (FNP)

APPENDIX B
Family Masters NP and Family Post Masters NP Certificate
Residency Evaluation

1. I am a(n):
    a. MSN-FNP student
    b. BSN-DNP-FNP student
    c. Post-Masters Certificate student

2. The advising and preceptor sessions contributed to my learning
    a. Yes
    b.

c.

7.

APPENDIX E

Saint Louis University

School of Nursing Student Clinical Evaluation

Family Masters NP and Family Post Masters Certificate NP

Student: _____ Site: _____

Preceptor: [redacted]

Course: _____

Please rate your student using the f(th5B f 08.8.7 (. /P <</MCID 44 24.6 re W n BT 12 -0 0 12 -0

apps) for evidence-based care (standards, medications, practice guidelines)					
Readily identifies normal an abnormal findings					
Develops reasonable differential diagnosis					
Therapeutic Planning					
Demonstrates knowledge in the treatment and evaluation of patients					
Formulates appropriate plar using evidence based practice					
Identifies appropriate indications for specific diagnosis					
Implements appropriate strategies for health promotion and patient education					
Identifies therapeutic pharmacological and nøn pharmacological treatment (patient education)					
Recommends appropriate follow up and referral					
Outcomes					
Demonstrates culturally sensitive care					
Demonstrates appropriate developmental care					
Provides patient centered safe care					

In your opinion, did this student appropriately apply the knowledge and skills during this

APPENDIX I
Family Masters and Post Masters NP

Case 1
Jose
Instructions to the Student:

Chief Complaint:

Jose is a 42 year old male, construction worker, who was in his usual state of health until 2 days ago when while playing soccer in an over 30 league he injured his left knee.

Vital signs, height, weight	BP: 136/86 P: 84 R: 18 T: 99 Ht: 70" Wt: 230 lbs.

Tasks: You have 30 minutes to complete the following:

1. State the pre-examination differential diagnoses.
2. Obtain a focused History.
3. Perform a physical examination.
4. Re-examine and list the tentative differential diagnoses.
5. Identify your differential diagnoses, knowing that it will become conclusive.
6. List diagnostic tests you would obtain.
7. Assuming your diagnosis is correct, develop a therapeutic plan.
8. Educate the client.

Student Name _____ CASE # 1

Instructor _____

Date _____-

Instructor solicited information:
Pre-examination diagnoses after chart review and before seeing client.

1. **Possible muscle strain or ligament strain left leg**
2. **Obesity**

Grade: History:		**30pts _____**
	PE:	**30 pts_____**
	Diagnoses	**15 pts _____**
	Treatment	**25 pts _____**
	Total: _____	

Student Name _____ **CASE # 1**

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

Client – Script for Physical Assessment

Instructor Check off (30pts)	**System**	**Findings**
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	BP: 136/86 P: 84 R: 18 T: 99 Ht: 70" Wt: 230 lbs.
	General appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasa
	Skin	Warm dry, no lesions, cuts or bruises suntanned, callused hands, blackened nail bed index finger left hand
	Eyes	PERRLA, red reflex intact, optic disc margins well defined, no nicking or hemorrhages, EOM's intact
	Neck	Supple, full ROM, no thyroid enlargement, or bruits
	Heart/peripheral vascular	RRR without murmur or gallop, S1 a S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
	Lungs	Clear to auscultation A and P, vesicu sounds throughout
	Abdomen	Bulky, rounded, soft BS X 4, soft, not tenderness masses or bruits, liver right midclavicular line 10 cm.
	Neurological	A and O X 3, gait antalgic, stiff left knee favors right, with limp, sensation intact, DTR's 2 + except left knee which was not tested.
	Extremities	Full ROM and strength without deformity all joints and extremities except left knee. No edema except left knee Left knee: ballottement, effusion ROM 10-90º with pain at extremes

Preventive care	FLU Shot, Tetanus, Annual TB testing Referral to optometrist Skin screening and safety precautions since he is a construction worker Self testicular exam
Follow-up	2 weeks to eval knee, annual screening tests if not done at this time

Client – Script for the Client History (Instructor copy):

CC: "my knee is hurt and swollen"

1. History of Present Illness

- It swelled within 30 minutes
- When it occurred you were done for the day, you couldn't bear weight and had to be carried off the field.
- It really hasn't gotten any better, that's why you came in, your were unable to do your job so work sent you home.
- You never had any problem like this before.
- You can't move your knee like normal. It's very stiff. It doesn't lock, you don't think it gives out, but you have been trying not to use it.
- You haven't really done anything about your knee, except ice at the game and a few beers after for pain control.

2. Past Medical History

- The only surgical procedure/hospitalization you have had is a hernia repair at age 20.
- No previous medical problems, ulcers or GI problems
- You don't take any medicines. You have no known allergies, or current immunizations.
- You wear glasses, but your last eye exam was about 5 years ago.

3. Family History

- Your mom and dad are alive and well, you think maybe your dad has high Blood pressure.

4. Personal and Social History

- You do not smoke. You never took any illicit drugs.
- Your are a social drinker, you drink a few beers at games and after work with the guys.
- You have been married for 6 years and have 2 children.
- You have worked for the same company since you were 20 years old.

5A. Health Promotion

- You have never thought too much of health care
- You gained about 10-15 lbs. over the last few years, like everyone else. Eat a lot of fast food, no breakfast, eat late at night, snack regularly, don't really care about what you eat.
- When the injury occurred, you heard a pop, everyone did.

5B. Health Promotion

- You consider your work your exercise. You just got into this soccer league, it was your first game, you used to play a lot about 12 years ago. Your wife thinks this is "kid stuff".

6. Review of Systems

Client – Script for the Client History:

CC: "my knee is hurt and swollen"

1. History of Present Illness

- It swelled within 30 minutes
- When it occurred you were done for the day, you couldn't bear weight and had to be carried off the field.
- It really hasn't gotten any better, that's why you came in, your were unable to do your job so work sent you home.
- You never had any problem like this before.
- Your can't move your knee like normal. Its very stiff. It doesn't lock, you don't think it gives out, but you have been trying not to use it.
- You haven't really done anything about your knee, except ice at the game and a few beers after for pain control.

2. Past Medical History

-

Case #2
Mike Kelly
Instructions to the Student:

Chief Complaint:

Mike is a 22 year old male, college student, who was in his usual state of health until 3 days ago when he noticed ear fullness, nasal congestion, and a sore throat. He is new to your practice.

Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99 Ht: 70" Wt: 180 lbs.

Tasks: You have 30 minutes to complete the following:

9. State the preexamination differential diagnoses.
10. Obtain a focused History.
11. Perform a physical examination.
12. Re-examine and list the tentative differential diagnoses.
13. Identify yourdifferential diagnoses, knowing that it will become conclusive.
14. List diagnostic tests you would obtain.
15. Assuming your diagnosis is correct, develop a therapeutic plan.
16. Educate the client.

Student Name _____ **CASE # 2**

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

Program Learning Outcomes	Advanced	Proficient	Not Proficient
3A.The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationsh with patients/professionals.			
3c. The student integrates cultural sensitivity in relationshi with patients/professionals.			
4a. The student designs culturally sensitive patient care th includes health promotion and disease prevention.			

Definitions:

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (8090)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation (79 or below)

History : 30pts

(1pt)

Client – Script for Physical Assessment

Instructor Check off (35pts)	**System**	**Findings**
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gende of provider/religious preferences observed
	Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99.6 Ht: 70" Wt: 180 lbs. BMI=25.8
1	General appearance	Well nourished, well developed, alert ar oriented X3, appropriate, pleasant
2	Skin	Warm dry, ndesions, cuts or bruises, suntanned, callused hands, blackened nail bed index finger left hand; No rashes or lesions
6	Eyes/Nose/Sinus	Sclera white. Conjunctiva pink, not injected. Sinuses not tender. Erythema present but turbinates not swollen; yellow discharge present
6	Ears	Auricles without tenderness. Canals cle L TM has fluid present but not erythematous; R is pearly with normal landmarks
6	Mouth Pharynx	Dentition good; oral mucosa without lesions; Tonsils without exudate but 3+ and cryptic. Halitosis present Pharynx: Erythema present
6	Neck/Lymph	Supple, full ROM, no thyroid enlargement, or bruits; Anterior cervical lymphadenopathy present bilaterally
3	Heart/peripheral vascular	RRR without murmur or gallop, S1 and within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
3	Lungs	Clear to auscultation A and P, vesicular sounds throughout
2	Abdomen	Flat, soft BS X 4, soft, not tenderness masses or bruits, liver right midclavicular line 10cm.

Instructor Grade:
Pre-exam diagnoses (5 points)_____

Post-exam diagnoses (10pts) _____

Client –

Student copy of PE findings

System	Findings
Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99.6 Ht. 70" Wt. 180 lbs. BMI=25.8
General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
Skin	Warm, dry, no lesions, cuts or bruises, suntanned, callused hand,, blackened nail bed index finger left ha
Eyes/Nose/Sinuses	Sclerae white. Conjunctiva pink, not injected. Sinuses non-tender. Erythema present but turbinates not swollen; yellow discharge present
Ears	Auricles without tenderness. Canals clear. L TM has fl present but not erythematous; R is pearly with normal landmarks
Mouth and Throat	Dentition good; oral mucosa without lesions; Tonsils without exudate but 3+ and cryptic. Halitosis present Pharynx: Erythema present
Neck	Supple, full ROM, no thyroid enlargement, or bruits; Anterior cervical lymphadenopathy present bilaterally
Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within norm limits, all pulses present equal and strong, no bruits or thrills appreciated.
Lungs	Clear to auscultation A and P, vesicular sounds throughout

Client – Script for the Client History:

CC: "My throat has been sore for 3 days"

1. History of Present Illness

You woke up with a really sore throat on Saturday morning (3 days ago). If asked on a scale of 1 10, you rate this sore throat as an "8". You haven't taken your temp but you think you have had a fever because you get chilled and then you sweat. You feel "bad"—you have muscle and joint aches and are fatigued. Tylenol and Advil make you feel better and you have been using Cepacol lozenges. You have no appetite. You stayed home from school yesterday. You have been laying on the couch and sleeping a lot watching TV. Your housemates are healthy.

Today you ears feel full particularly on the Left side and your nose is more congested. If asked, it has been congested for about 5 days.

Your sister (age 15) had strep and mono a few weeks prior

2. Past Medi

Student Name _____ **CASE # 3**

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

Program Learning Outcomes	Advanced	Proficient	Not Proficient
3A.The student integrates advanced competencies in relationships with patients/professionals.			

1. Relieved with defecation; and/or
2. Onset associated with a change in frequency of stool; and/or
3. Onset associated with a change in form (appearance) of stool.

Symptoms that Cumulatively Support the Diagnosis of IBS:

1. Abnormal stool frequency (may be defined as greater than 3 bowel movements per day and less than 3 bowel movements per week);
2. Abnormal stool form (lumpy/hard or loose/watery stool);
3. Abnormal stool passage (straining, urgency, or feeling of incomplete evacuation);
4. Passage of mucus;
5. Bloating or feeling of abdominal distension.

Supportive Symptoms of IBS:

1. Fewer than three bowel movements a week
2. More than three bowel movements a day
3. Hard or lumpy stools
4. Loose (mushy) or watery stools
5. Straining during a bowel movement
6. Urgency (having to rush to have a bowel movement)
7. Feeling of incomplete bowel movement
8. Passing mucus (white material) during a bowel movement
9. Abdominal fullness, bloating, or swelling

Red Flag symptoms which are NOT typical of IBS:

Client – Script for Physical Assessment

Instructor check off (20pts)	System	Findings
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gende of provider/religious preferences observed
	Vital signs, height, weight	Female: Height: 5'4" Weight: 110/ Male: Height 5'10' Wt 165 Temp: 97.8 Pulse =72 Tanner level: V
	General Appearance	Well nourished, well developed, alert an oriented X3, appropriate, pleasant
	Skin	describes wearing no makeup (female) Warm, dry, no cuts or bruises, few blackheads and pimples on face
	Eyes	PERRLA, EOMs intact
	Ears	Auricles NT, symmetric, TMs pearly grey nl landmarks
	Nose	Nostrils patent, no discharge, septum midline andintact
	Mouth & Pharynx	No lesions, dentition good, uvula rises symmetrically, gag intact, pharynx clear without erythema or exudates
	Neck	Supple, full ROM, No thyroid enlargement, or bruits, no lymphadenopathy
	Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
	Lungs	Clear to auscultation A and P, vesicular sounds throughout
	Abdomen	flat, soft, BS X 4, soft, no tenderHesicula

Script for Patient (Instructor copy)

You are an 18 year old girl and comes in alone.
You don't appear to be in any immediate distress.

CC "I feel terrible, I keep getting pain and diarrhea"

History of Present Illness
You have noticed that you seem to get diarrhea frequently. You find it potentially embarrassing. But sometimes you get constipated too. You eat at the school cafeteria and try to get some fruits and vegetables but it seems they always serve the same thin

Script for Patient (Student copy)

You are an 18 year old girl and comes in alone.
You don't appear to be in any immediate distress.

CC "I feel terrible, I keep getting pain and diarrhea"

History of Present Illness

You have noticed that you seem to get diarrhea frequently. You find it potentially embarrassing. But sometimes you get constipated too. You eat at the school cafeteria and try to get some fruits and vegetables but it seems they always serve the same thing. Menarche at 13 and her menstrual periods
Yeie seie9 f.8n(ft31 (a21.2 (e d)-9.1 (i)-3.9 f.9 .22a)-7 (esea)-7 (l/. (e n5e)-5.f2.1 (.6 (b.3m(.)-5-2(e9 f.8n)P <</MCIDg)-2.

CASE 4

Mrs. H.
Instructions to the Student

Mrs. H. is a 41 year old white female who first visited the clinic one month ago for a women's health exam (all negative) under the Missouri Department of Health Breast and Cervical Cancer Project, because she is uninsured. Her income is 150% poverty level. At the time of her women's health exam, her mean blood pressure was an asymptomatic 154/94 (LA) with no orthostatic changes, no history of hypertension. Since that time, she has returned twice to the clinic for a blood pressure check. Two weeks ago, her mean left arm blood pressure was 162/98; and, one week ago, 166/96. There were no significant right arm/left arm differences. She has brought her B/P record with her. She returns today to consult with you regarding diagnosis and treatment.

Vital signs, height, weight	Baseline information	170/96 LA (sitting and standing, large cuff) 166/94 RA (sitting) HR: 72 R: 18 T: 97.8 F Height: 5'6" Weight: 190#

Tasks:

You have 30 minutes to

Student Name _____ **CASE # 4**

Instructor _____

Date _____-

Instructor solicited information
Pre-examination diagnoses before seeing the patient

High BP

Cushings, pheocromocytoma, coarctation of the aorta, aldosteronism, meds, renal artery stenosis, renal disease, essential hypertension

Thirst

Diabetes mellitus, dehydration, diabetes insipidus, cancer, gastrointestinal disease; vomiting, diarrhea.

Grade: History:	**30 pts** _____
PE:	**30 pts**_____
Diagnoses	**15 pts** _____
Treatment	**25 pts** _____

Total: _____

Student Name _____ **CASE # 4**

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

Program Learning Outcomes	Advanced

History : 30pts

(1pt)		
(9pt)		
8pt		
	Surgeries	

30 0 n BT 12 246 306 Tm ( )Tj ET EMC

Instructor Checklist: Physical assessment (30pts)

Pts	System	Rationale	Findings
		Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps with walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee
Lunch: Diet coke, Hardy's cheeseburger, fries
Supper: Pork chop, mashed potatoes, cake
TV snack: Popcorn

You have never been depressed, except after your husband died – but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.

Physical Exam (Student Copy)

System	Findings
Vital signs, height, weight	170/96 LA (sitting and standing, large cuff) 166/94 RA (sitting) HR: 72 R: 18 T: 97.8 F Height: 5'6" Weight: 190#
Facies and general appearance	Pleasant appearing, obese middle-aged female with normal facies and general appearance. No facial changes characteristic of Cushing's, hyperthyroidism, nor SLE. No truncal obesity or abnormal fat distribution over spine.
Skin, lip color	Skin color good, lips pink
HEENT	Normocephalic, no xanthomas. PEERLA. EOMI. CN 3-12 intact. Fundoscopic: Red flex present, not nicking or AV hemorrhage. TM intact bilaterally. Pharynx: swallows without difficulty, no erythema Neck: nonpalpable thyroid, no carotid burit, no lymphadenopathy.
Lungs	No supraclavicular nor intercostal retractions; AP/lateral diameter WNL; chest expansion WNL; inspiratory/expiratory ratio at trachea WNL. Lungs clear to auscultation and percussion; no wheezing, rales, no rhonchi.
Heart	Apex at 5th ICS at MCL. RRR; S1 greater than S2 apex. No murmurs or gallop rhythm noted.
Abdomen	Obese abdomen. No masses noted. BS present in all quadrants. No abdominal/renal bruits. No organomegaly
Kidney	Unable to palpate kidneys due to obesity. No flank tenderness.
Extremities, including feet	No peripheral edema. Color of toes and feet good. Capillary return WNL. Posterior popliteal, posterior tibius, and dorsalis pedis present and equal bilaterally at 3+. Skin on feet and between all digits intact. No calluses. Nails in good repair
Rectal/pelvic	See exam of two months ago (no concerns)

Script for the Patient (Student copy):
You are a 41 year old white female who has been asked to return to the clinic because of high BP readings. You had originally gone to the BCCCP project for breast and cervical cancer screening because you have no insurance. Two weeks ago your BP was 164/94 with no orthostatic changes. Since then you have returned twice to the clinic and your BP was 172/98 and then one week ago: 166/96. You have come to consult with the NP today about your BP.

PMH: Tubal ligation

Three vaginal deliveries with no complications. No other hospitalizations.

Sprained ankle at age 32. No MVA.

You had whooping cough and chicken pox as a child. You have had no serious adult illnesses.

Last eye exam one year ago. You have had trouble reading but were advised to get OTC reading glasses at Walmart.

Yearly flu shot from the Health department. Your last tetanus shot was 12 years ago, when you cut your hand cleaning out a sewer drain on your farm.

No seasonal allergies, but every time you visit your daughter your eyes itch, you get a stuffy nose, and your chest gets a little tight. Your daughter has 2 cats. It goes away within an hour or so after you leave. So now your daughter visits you instead of you visiting her.

No prescription medications. Occasionally you take Tylenol for aches.

FH: Mother: CVA at age 63 and died about 2 years later, having never fully recovered. Your only sibling, a brother, died at age 60 of a heart attack. Your father is still alive at age 80, but he had CABG about 5 years ago. There is no family history of DM. Your mat. Grandmother died of breast cancer. All other grandparents died of old age.

Social & Personal Hx: your husband died 3years ago and you live with your 20 year old son who attends school at the local junior college. Your daughter lives nearby and visits frequently. You are active in your church group. No ETOH, tobacco, nor illegal drugs. You work as a clerk at a hardware store, 38 hours/week. You have a boyfriend, a truck driver.

ROS—next page

ROS:

Head: no headaches, no history of seizures, fainting, or dizzy spells

Your last eye exam shows one year ago. You have no trouble reading with the glasses your eye doctor said to buy OTC at Walmart.

No sinus problems, no teeth/mouth/throat problems
Neck is fine and it moves well as do all your joints

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps when walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee
Lunch: Diet coke, Hardy's cheeseburger, fries
Supper: Pork chop, mashed potatoes, cake
TV snack: Popcorn

You have never been depressed, except after your husband died – but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have noticed no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.

Case: 5
Annetta
Instructions to the Student:

Chief Complaint: weakness and fatigue more than usual over the last 2 months

HPI: Annetta, a 56year-old African American female, was in good health until about 2 months ago when she began to feel weak and tired more rapidly then usual. She also noticed she was getting up several times a night to urinate. Whenever she sis get up she was thirsty and would drink a glass of water and go back to bed. This was occurring 2-3 times a night so she thought she was maybe just not getting enough sleep. She felt like she wasn't as productive at work and just did not feel like going everyday.

Student Name _____ **CASE # 3**

Instructor _____

Date _____-

Instructor solicited information
Pre-examination diagnoses before seeing the patient

Fatigue: **Anémia**
Thyroid
Diabetes
Chronic Fatigue Syndrome
Depression

Student Name _____ **CASE # 5**

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

Program Learning Outcomes	Advanced	Proficient	Not Proficient
3A.The student integrates advanced competenc(g)6(A)4 i			

(2pt)	Confirm chief complaints	
(10pt)	**HPI:** onset :2 months ago	
	Progression of symptoms:	
	Activities that make it worse or better	
	Associated Symptoms: need to explore the following:	
	Polydipsia, Polyuria, Polyphagia	
	Weight loss	
	Visual changes	
	Infections	
	Poor wound healing	
	Dry skin	
	Numbness tingling	
	Headaches	
	Palpitations, chest pain, SOB	

	Immunizations: Can't remember last tetanus, doesn't think she needs flu sho	
	Medication: No prescription meds, takes OTC Ibuprofen for headaches PRN, no herbal	
	Allergies: none	
	Health maintenance: self-breast exam monthly, never EKG, TM, or Xray (rest below)	
2pt	**Family History**	
	Parents: father died 69y/o massive stroke Mother : died 62 ESRD, DM , amp foot Should ask about hx migraines Youngest of 4 children weight 10lb 2 oz	

f 90 4 (b 29 >>-m ( )Tj ET EMC /Artifact <</MCID -7.00[mx0[80[mx0p-m 14.76 re

	-Abd, denies indigestion, regular BM no blood. Diet should be ? if not previous -Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds -Neuro, numbness tingling, wakes at night, several years, moving or changing positions helps _all other systems unremarkable	

Client –

		Strength all 5/5 Memory intact recent and past Smooth clear speech

Diagnoses: (15 points)

List of Differential Diagnoses

Diabetes, Type I
Diabetes, Type II
HTN
Obesity
Hypercholesterolemia (they may include this)

Final Diagnoses:

Diabètes, Type II
Obesity
Peripheral Neuropathy
Elevated Blood Pressure

Management Plan

Instructor check off	**(25 points)**	**Comments**

	Therapeutic Communication Explanations easily understandab and culturally appropriate - Pathology of Diabetes, - Signs and symptoms - Home glucose monitoring/ log - Target range for Blood glucose and what to do - Diet , Exercise, Weight loss - Complications of diabetes Explain effects of Obesity Explain effects of elevated BP	

	BP check at each visit, NAS as mentioned above Smoking cessation, No alcohol for now Health Promotion: Seat belts, smoke detectors (older home), colonoscopy, flu shot, stress management and sleep hygiene, DEXA, Pelvic Pap _Annual eye exam, foot exam, dental BP checks	
	Help her to set personal goals for a education: Wt loss, Exercise, BS	
	Referral to: Diabetic Educator Dietitian Podiatrist Ophthalmologist Dental Local Support Group	

Lab Results

Complete Metabolic Panel		
	Results	**Norm**
Glucose	**352 mg/dl**	**65-109 mg/dl**

Past Medical History

No chronic illness, You have enjoyed good physical health in the past, so you usually do not see a doctor on a regular basis. G3 P3. uncomplicated pregnancies.Menses at age 11, Menopause at age 51

surgeries or trauma, Appendectomy 1972

normal childhood illnesses

No known allergies.

No prescription medications, takes OTC Ibuprofen for aches and pains sometimes

Immunizations, can't remember last tetanus, has never had the flu shot because "she is healthy", does do self breast exam, she has a friend and they remind each other, last mammogram was at the age of 50. Last eye exam was about 3 years ago, last dental visit 6 years ago when she chipped a tooth on a nut

she drinks several cups of coffee at work each day, quit smoking several times the last time was 6 months ago…she only smokes ½ ppd. Started when she was 16, "it was the cool thing to do", quit when she was pregnant with her first child. Started smoking again about a year later. Has started and stopped on and off through the years when she was pregnant when her kids were in their teens, when she and her husband were having trouble for a while. Thinking about quitting again because cigarettes are getting just too expensive.

Family Hx: Both parents are deceased.Father died at the age of 69 from a massive stroke mother died at 62 from end stage kidney disease., she had been diagnosis with Diabetes at the age of 42 and had had numerous complications including partial amputation of her right foot. She was on dialysis for 3 years before she died….Annetta was very involved in her mothers care, giving her shots 2 times a day and transporting her to dialysis and MD visits.

Annetta is the youngest of 4 children and weighed 10 lbs 2 oz at birth. Both parents are overweight as are the siblings 2 of which have been dx as diabetes.

Personal and Social History

Happily married, lives at home that they have owned for 30 years. She has 3 grown children, 2 girls and 1 boy, 2 grand children. All live in the area. She smokes as previously noted, has an occasional drink (wine) after work with her friends and on special occasions. She is in the choir at her church, and enjoys reading and sewing, but it has been difficult to do these things lately. She knows she should exercise but it never quite fits into her schedule.

She enjoys her job as an Administrative Executive Secretary, where she has worked for the same boss for the last 26 years…they have been promoted in the company together. In this position there are lots of deadlines and reports and she feels that all things need to be done perfectly.

-Skin hair nails: skin dry flakey always, uses olive oil, nails unchanged, feet have dry skin and calluses

-Head and Neck, gums bleed after tooth brush, rare headaches late in day relieved with Ibuprofen

-eyes, blurry vision, especially as day goes on,

Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, Femoral, popliteal, dorsalis pedis 2 + bilaterally, no carotid bruits or thrills appreciated. PMI 5th ICS, Left MCL. No edema, capillary refill rapid.
Lungs	Clear to auscultation A and P bilaterally, vesicular sounds throughout
Abdomen	bulky, BS X 4, soft, no tenderness to light or deep palpation, no masses or hernias, no organomegaly

Script for Patient (Student copy)

You are a 56 year-old AA female administrative secretary who came in alone in no apparent distress

CC: I feel weak and tired more than usual over the last 2 months

History of Present Illness

.

HPI: Annetta was in good health until about 2 months ago when she began to feel weak and tired more rapidly then usual. She also noticed she was getting up several times a night to urinate. Whenever she sis get up she was thirsty and would drink a glass of water and go back to bed. This was occurring 2-3 times a

Treatment Plan: You are very motivated, want to be well so that you can do well at work and enjoy children, and grandchildren. Think your husband will be supportive and could benefit from this plan as well…you want to do it together. You will do what ever you need to do.

Case: 6

John

Instructions to the Student

Chief Complaint: John is a 62-year-old auto mechanic who is requesting a routine checkup. He has a history of hypertension. He has not seen a health care provider since he lost his health care insurance about one year ago. He recently started a new job and is requesting a checkup. He takes Hydrochlorothiazide for high blood pressure. He feels he eats a healthy diet .His only complaints are occasional fatigue, blurred vision, and urinary frequency with dribbling after he urinates. He has to get up several times a night to void.

Student Name _____

Instructor _____

Date _____

Instructor solicited information
Pre-examination diagnoses before seeing the client.

1.

Student Name _____ **CASE # 6**

Instructorn3_____ **6**

(2 pts)	Confirm chief complaints	
(10 pts)	**HPI: (HTN)** onset: 5 years ago	
	Progression: getting worse since ran out of medicine	
	Associated symptoms: occasional chest pain discomfort, no SOB, palpitations or headache.	
	(Urinary Symptoms)	
	Onset: uncertain, but at least the last six months	
	Progression:	
	Alleviating factors:	
	Aggravating factors	
	Associated symptoms	
	Demonstrates cultural sensitivity while establishing rapport	
5 pts	**Past Medical History**	
	Demonstrates cultural sensitivity during history gathering	
	Medication	
	Allergies	
	Previous Illness	
	Hospitalizations, surgeries, trauma (none)	
	Health Maintenance	

Symptoms that Cumulatively Support the Diagnosis of BPH:

1. Obstructive Complaints:
   Hesitancy
   Decreased force & caliber of stream
   Sensation of incomplete bladder emptying
   Double voiding (urinating a second time within 2 hours)
   Straining to urinate,
   Post-void dribbling.

2. Irritative Complaints:
   Urgency
   Frequency
   Nocturia.

American Urological Association Symptom Index.
Single most important tool used in the evaluation of patients with BPH.
Should be calculated for all patients before starting therapy.
Likert scale 0 (not at all) to 5 (almost always)

1. Over the past month, how often have you had a sensation of not emptying your bladder completely after you finish urinating?
2. Over the past month, how often have you had to urinate again less than 2 hours after you finished urinating?
3. Over the past month, how often have you found that you stopped & started again several times when you urinated?
4. Over the past month, how often have you found it difficult to postpone urination?
5. Over the past month, how often have you had to push or strain to begin urination?
6. Over the past month, how many times did you most typically get up to urinate from the time you went to bed at night until the time you got up in the morning?

Client-Script for Physical Assessment

Instructor check off (20 pts)	System

Script for Patient (Instructor copy)

You are a 61-year-old auto mechanic and come in alone.
You are not in any immediate distress.

CC "I haven't been to a health care provider in a few years. I have high blood pressure but I'm really worried about having to urinate so much."

History of Present Illness
Identify yourself as someone who really tries to avoid seeing a health care provider. You work really hard as an auto mechanic and don't really have time for routine check-ups. You've been diagnosed with high blood pressure but you're really not concerned about this because you have no symptoms. You run out of your medication sometimes.

You're here today because you're constantly running to the bathroom to urinate. This interferes with your job and your sleep. You think you're so tired because you get up several times a night to go to the bathroom. You don't have any burning or pain with urinating. You have noticed that it's difficult to get your stream going and sometimes you have to urinate twice in one hour.

Past Medical History
No known allergies.
HCTZ 12.5 mg PO daily
No major illnesses.
Father had HTN.

Personal and Social History
You smoke 1 pack of cigarettes a day. You started smoking age 16. You have 1-2 beers every evening after dinner. You've been married for 40 years and have three children who are all married with kids. You don't have time to exercise. You feel you get plenty of exercise on the job.

ROS:
You do occasionally have some chest pressure but it's usually because you work so hard. It doesn't last very long (maybe 5 minutes). When you rest it goes away.

Physical Exam:
You really don't see the need for a physical examination today. You just want something to stop the constant urination. You really don't want to discuss your high blood pressure or your occasional chest discomfort.

Treatment Plan:
You want to know when you can stop taking your high blood pressure medicine. You are not interested in getting any testing done at this time.

Script for Patient (Student copy)

You are a 61-year-old auto mechanic and come in alone.
You are not in any immediate distress.

CC " I haven't been to a health care provider in a few years. I have high blood pressure but I'm really worried about having to urinate so much."

History of Present Illness
Identify yourself as someone who really tries to avoid seeing health care provider. You

(30 pts)	**History**	
	Confirm chief complaint	
	HPI: onset:	
	Progression of symptoms:	
	Associated symptoms:	
	Alleviating factors:	
	Aggravating factors	
	Demonstrates cultural sensitivity while establishing rapp	
	Past Medical History	
	Demonstrates cultural sensitivity during history gatherin	
	Medication	
	Allergies	
	Previous Illness	
	Hospitalizations, surgeries, trauma (none)	
	Health Maintenance	
	Family History	
	Social History	
	Exercise & Diet	
	Smoking & ETOH	
	Work environment	
	Review of Systems	

Client-Script for Physical Assessment

PE: Instructor check off (30 pts)	System	Findings
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	110/76 HR 80 R18 T 98.6 Height 5'5 Weight 120 lbs.
	General Appearance	Well nourished, well developed, alert, NAD
	Skin	Warm, dry, without lesions
	Eyes	

(15 pts)
Final Diagnoses: 1. Asthma
2. High risk sexual behavior
3. ETOH abuse

(25 pts) Management Plan

		Comments
	Diagnosis	
	Identifies all three final diagnoses Orders appropriate diagnostic tests: **PFT's** FEV1 1.9 (81% of predicted) FVC 3.3 (55%) of predicted Improves by 20% with bronchodilator HCG-negative Urine- Chlamydia/GC RPR, VRDL, HIV	
	Management Plan Pharmacology **Orders medications consistent with Step 3 (moderate persistent asthma) care** Rescue Inhaler Low Dose ICS & LABA	
	Therapeutic Communication	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up (-2 weeks)	

Patient education addresses:
<u>Asthma</u>
Asthma Triggers
Use of inhalers
Orders PFM & Spacer
Rinse mouth after using inhalers
Written asthma plan

Script for Patient (Student Copy)

You are a 26-year old bartender.
You are very mildly SOB during this visit
CC “I’m having difficulty breathing.

History of Present Illness

You’re here today because you’ve been a “little bit short of breath” for the last week. You think it started about one week ago after you took your dog for a walk. It’s usually worse at night when you lay down to go to sleep. It’s been getting a little worse every day. You notice it more when you exercise or go up a flight of steps.

You also are concerned about a cough which started about the same time that the breathing problems started. The cough is non-productive. You have no fever or chills. You have some nasal congestion, but you’ve had that for many years. You think you probably have allergies (especially in the spring) but it seems much worse this year.

Past Medical History
Unremarkable.
Take no meds.

Family History
Mom and Dad- Alive and well. No health care issues.
Brother (age 15). Diagnosed with asthma as a child.

Personal and Social History
You have never smoked. You are a bartender and drink 5-6 beers when you get off of work each night at 1 pm.